













## Dahua Network Camera & NVR Price List, May - 2019

### Dahua Network Camera



SL	Model	Product	Product Specification	Unit Price
01	IPC-A12		DAHUA 01 MP HD NETWORK IR WIFI PT CAMERA Resolution : 1 MP ( 1280 x 720 ) Image Sensor : 1 / 4" 1 MP CMOS Lens : 2.8 mm Field of View : 94°(H), 52°(V), 115°(D) Pan & Tilt : 0~355° Pan & -5°~90° Tilt IR Distance : 10 Meter SD Card : Support Up to 64 GB Build In : MIC & Speaker	42,00/=
02	IPC-A22		DAHUA 02 MP HD NETWORK IR WIFI PT CAMERA Resolution : 2 MP ( 1920 x 1080 ) Image Sensor : 1 / 2.7" 2 MP CMOS Lens : 3.6 mm Field of View : 90°(H), 48°(V), 108°(D) Pan & Tilt : 0~355° Pan & -5°~90° Tilt IR Distance : 10 Meter SD Card : Support Up to 64 GB Build In : MIC & Speaker	5,500/=
03	IPC-T1B20P-L		2MP IR Turret Dome Network Camera Resolution : 2 MP / 1920(H) x1080(V) Compression : H.265+ /H.265 /H.264H /MJPEG Image Sensor : 1/2.7" 2MP Progressive CMOS Lens : 3.6mm ( 2.8mm Optional ) Viewing angle : H: 87.5° ( 115° ) IR Distance : 30 Meter PoE : YES	3,800/=
04	IPC-B1B20P-L		2MP IR Mini-Bullet Network Camera Resolution : 2 MP / 1920(H) x1080(V) Compression : H.265+ /H.265 /H.264H /MJPEG Image Sensor : 1/2.7" 2MP Progressive CMOS Lens : 3.6mm (2.8mm Optional) Viewing angle : H: 87.5° ( 115° ) IR Distance : 30 Meter PoE : YES	3,800/=
05	IPC-HDW1230SP		DAHUA 02 MP HD NETWORK IR DOME CAMERA Resolution : 2 MP / 1080P ( 1920 x 1080 ) Image Sensor: 1 / 2.7" 2 MP CMOS Lens : 3.6 mm Viewing angle : 83 Degree IR Distance : 30 Meter Video Compression: H.265 , PoE: Yes	5,000/=

06	IPC-HFW1230SP		DAHUA 02 MP FHD NETWORK IR BULLET CAMERA Resolution : 2 MP / 1080P ( 1920 X 1080) Image Sensor :1 / 2.7" 2 MP CMOS Lens : 3.6 mm Viewing angle : 83 Degree IR Distance : 30 Meter Video Compression: H.265, PoE : YES	4,800/=
<b>SL</b>	<b>Model</b>	<b>Product</b>	<b>Product Specification</b>	<b>Unit Price</b>
07	IPC-HDBW1320RP-AS <b>(Micro SD Card &amp; Vandal Proof)</b>		DAHUA 03 MP HD NETWORK IR DOME CAMERA Resolution : 3MP(2048x1536) Image Sensor: 1/3" 3Megapixel progressive scan CMOS Lens : 3.6 mm Viewing angle :85.5 Degree IR Distance : 30 Meter Vandal Resistance : IK10 Memory Slot :Micro SD Max 128GB PoE: Yes	5,500/=
08	IPC-HFW1320MP-AS-I1 <b>(Micro SD Card &amp; Star Light)</b>		DAHUA 03 MP HD NETWORK IR BULLETCAMERA Resolution : 3MP(2048x1536) Image Sensor : 1/3" 3Megapixel progressive scan CMOS Lens : 3.6 mm Viewing angle : 85.5 Degree IR Distance : 50 Meter PoE: Yes Memory Slot :Micro SD Max 128GB Star Light : Yes	6,200/=
09	IPC-T1B40P		4MP IR Turret Dome Network Camera Resolution :4 MP / 2560(H)x1440(V) Compression :H.265+ /H.265 /H.264H /MJPEG Image Sensor :1/3" 4MP Progressive CMOS Lens :3.6mm ( 2.8mm Optional ) Viewing angle :H: 80° ( 101° ) IR Distance :30 Meter PoE : YES	5,600/=
10	IPC-B1B40P		4MP IR Mini-Bullet Network Camera Resolution : 4 MP / 2560(H)x1440(V) Compression : H.265+ /H.265 /H.264H /MJPEG Image Sensor: 1/2.7" 2MP Progressive CMOS Lens :3.6mm (2.8mm Optional) Viewing angle :H: 80° ( 101° ) IR Distance : 30 Meter PoE : YES	5,600/=
11	IPC-HDW1431SP		DAHUA 04 MP WDR NETWORK IR DOME CAMERA Resolution : 4 MP / 2688x1520 Image Sensor : 1/3" 4Megapixel progressive CMOS Lens : 3.6 mm Viewing angle :83 Degree IR Distance : 30 Meter Video Compression: H.265 PoE: Yes	7,000/=

12	IPC-HFW1431SP		DAHUA 04 MP WDR NETWORK IR BULLET CAMERA Resolution : 4 MP / 2688x1520 Image Sensor : 1/3" 4Megapixel progressive CMOS Lens : 3.6 mm Viewing angle : 83 Degree IR Distance : 30 Meter Video Compression: H.265, PoE : YES	7,000/=
<b>SL</b>	<b>Model</b>	<b>Product</b>	<b>Product Specification</b>	<b>Unit Price</b>
13	IPC-HDBW4831EP-ASE  (Micro SD Card & Vandal Proof)		DAHUA 08 MP HD NETWORK IR DOME CAMERA Resolution : 8 MP / 3840(H)x2160(V) Image Sensor : 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS, Video Compression: H.265+ Lens : 4 mm Viewing angle : 88 Degree IR Distance : 30 Meter Vandal Resistance : IK10 Memory Slot :Micro SD Max 128GB PoE: Yes Intelligence - IVS: Tripwire, Intrusion, Object Abandoned/Missing, Face Detection	16,500/=
14	IPC-HFW4831EP-SE  (Micro SD Card)		DAHUA 08 MP WDR NETWORK IR BULLETCAMERA Resolution : 8 MP / 3840(H)x2160(V) Image Sensor : 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS, Video Compression : H.265 Lens : 4 mm Viewing angle : 88 Degree IR Distance : 40 Meter Memory Slot :Micro SD Max 128GB PoE: Yes Intelligence - IVS: Tripwire, Intrusion, Object Abandoned/Missing, Face Detection	16,500/=
15	SD49225T-HN		DAHUA 02 MP 25X FHD STARLIGHT NETWORK IR PTZ CAMERA Resolution : 02 MP / 1080P Image Sensor : 1 / 2.8" 2 MP Exmore CMOS Sensor Lens : 4.8 mm -120 mm ( 25 X Optical Zoom) IR Distance : 100 Meter PoE: Support PoE+ IP Rating :IP66	35,000/=
16	SD6C230U-HNI		DAHUA 02 MP 30X FHD STARLIGHT NETWORK IR PTZ CAMERA Resolution : 02 MP / 1080P Image Sensor : 1 / 2.8" 2 MP Exmore CMOS Sensor Lens : 4.5 mm -135 mm ( 30 X Optical Zoom) IR Distance : 150 Meter IP Rating : IP66	57,000/=
17	SD6C430U-HNI		DAHUA 04 MP 30X NETWORK IR PTZ CAMERA Resolution : 04 MP / 2592(H) x 1520(V), Image Sensor : 1/3" 4Megapixel CMOS Lens : 4.5 mm -135 mm ( 30 X Optical Zoom) IR Distance : 100 Meter IP Rating : IP66	69,000/=

18	IPC-EB5531P		<b>5MP Panoramic Network Fisheye Camera</b> Resolution : 5 MP , 2592(H)x1944(V) Image Sensor :1/2.7" 5Megapixel progressive scan CMOS Lens :1.4 mm Viewing angle : 180° Vandal Proof : IK10 <b>Built-in Mic</b>	18,000/=
19	NKB-1000		<b>Network Keyboard &amp; Control Keyboard</b> > NKB1000: RS485, RS422, USB, RS232 & Network >Three Dimensional Joystick Control of PTZ Functions > Preset Position, Auto Scan, Auto Pan, Auto Tour & Pattern	24,000.00
<b>SL</b>	<b>Model</b>	<b>Product</b>	<b>Product Specification</b>	<b>Unit Price</b>
01	NVR1B04HS	 <b>EZ-IP</b>	<b>4 Channel Compact 1U H.265 Network Video Recorder</b> · H.265/H.264 codec decoding · Max 4 channel IPC camera inputs · Max 80 Mbps incoming bandwidth · Internal HDD: 1 SATA III Port, up to 6TB · Full Metal Casing	<b>6,800/=</b>
02	NVR1B08HS	 <b>EZ-IP</b>	<b>8 Channel Compact 1U H.265 Network Video Recorder</b> · H.265+/H.264+ codec decoding · Max 80Mbps incoming bandwidth · Max 8 channel IP camera inputs · Internal HDD: 1 SATA III Port, up to 6TB · Full Metal Casing	9,000/=
03	NVR1B04HS-4P	 <b>EZ-IP</b>	<b>4 Channel Compact 1U H.265 4PoE Network Video Recorder</b> · H.265+/H.264codec decoding · Max 4 channel IPC camera inputs · Max 80 Mbps incoming bandwidth · Support IPC UPnP, 4PoE ports · Internal HDD: 1 SATA III Port, up to 6TB · Full Metal Casing	<b>9,500/=</b>
04	NVR1B08HS-8P	 <b>EZ-IP</b>	<b>8 Channel Compact 1U H.265 8PoE Network Video Recorder</b> · H.265+/H.264+ codec decoding · Max 80Mbps incoming bandwidth · Max 8 channel IP camera inputs · Support IPC UPnP, 8PoE ports · Internal HDD: 1 SATA III Port, up to 6TB · Full Metal Casing	<b>13,000/=</b>

05	NVR4208-8P-4KS2		<b>08 CH NETWORK VIDEO RECORDER (NVR) – 8 Port PoE</b> · 16 CH IP Camera Inputs · Max 200 Mbps Bit rate input · Support IPC UPnP, 8PoE ports · Compatible with 5Mp, 3Mp, 1080P , 720P & D1 · HDMI& VGA Output up to 1080 P · 02 HDD ( Up to 2 x 6 TB = 12 TB ) · Full Metal Casing	19,000/=
06	NVR4116HS-4KS2		<b>16 CH NETWORK VIDEO RECORDER (NVR)</b> · 16 CH IP Camera Inputs · Max 80Mbps Bit rate input · Up to 8MP Resolution for Preview and Playback · HDMI& VGA Output up to 1080 P · 01 HDD ( Up to 6 TB ) · Full Metal Casing	11,500/=
07	NVR2B16	 	<b>16 Channel Compact 1U H.265 Network Video Recorder</b> · H.265+/H.264+ codec decoding · Max 80Mbps incoming bandwidth · Max 16 channel IP camera inputs · Internal HDD: 2 SATA , up to 2 x 6 TB = 12TB · Full Metal Casing	13,000/=
<b>SL</b>	<b>Model</b>	<b>Product</b>	<b>Product Specification</b>	<b>Unit Price</b>
08	NVR4216-4KS2		<b>16 CH NETWORK VIDEO RECORDER (NVR)</b> · 16 CH IP Camera Inputs · Max 200 Mbps Bit rate input · Compatible with 5Mp, 3Mp, 1080P , 720P & D1 · HDMI& VGA Output up to 1080 P · 02 HDD ( Up to 2 x 6 TB = 12 TB ) · Full Metal Casing	15,500/=
09	NVR4416-4KS2		<b>16 CH NETWORK VIDEO RECORDER (NVR)</b> · 16 CH IP Camera Inputs · Max 200 Mbps Bit rate input · Compatible with 5Mp, 3Mp, 1080P , 720P & D1 · HDMI& VGA Output up to 1080 P · 04 HDD ( Up to 4 x 6 TB = 24 TB ) · Full Metal Casing	28,500/=
10	NVR4416-16P-4KS2		<b>16 CH NETWORK VIDEO RECORDER (NVR)</b> · Built in 16 Ports POE · 16 CH IP Camera Inputs · Max 200 Mbps Bit rate input · Compatible with 5Mp, 3Mp, 1080P , 720P & D1 · HDMI& VGA Output up to 1080 P · 04 HDD ( Up to 4 x 6 TB = 24 TB ) · Full Metal Casing	36,000/=
11	NVR4232-4KS2		<b>32 CH NETWORK VIDEO RECORDER (NVR)</b> · 32 CH IP Camera Inputs · Max 200 Mbps Bit rate input · Compatible with 5Mp, 3Mp, 1080P , 720P & D1 · HDMI& VGA Output up to 1080 P · 02 HDD ( Up to 2 x 6 TB = 12 TB ) · Full Metal Casing	24,000/=

12	NVR4432-4KS2		<b>32 CH NETWORK VIDEO RECORDER (NVR)</b> <ul style="list-style-type: none"> <li>· 32 CH IP Camera Inputs</li> <li>· Max 200 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 8 Mp , 5Mp, 3Mp, 1080P , 720P &amp; D1</li> <li>· HDMI&amp; VGA Output up to 1080 P</li> <li>· 04 HDD ( Up to 4 x 6 TB = 24 TB )</li> <li>· Full Metal Casing</li> </ul>	29,000/=
13	NVR4832-4KS2		<b>32 CH NETWORK VIDEO RECORDER (NVR)</b> <ul style="list-style-type: none"> <li>· 32 CH IP Camera Inputs</li> <li>· Max 256 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 8 Mp , 5Mp, 3Mp, 1080P , 720P &amp; D1</li> <li>· HDMI, VGA &amp; TV Output up to 1080 P</li> <li>· 08 HDD ( Up to 8 x 6 TB = 48 TB )</li> <li>· Full Metal Casing</li> </ul>	38,000/=
14	NVR5232-4KS2		<b>32 CH 2U 4K &amp; H.265 Network Video Recorder (NVR)</b> <ul style="list-style-type: none"> <li>· 32 CH IP Camera Inputs</li> <li>· Max 320 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 12MP, 8 Mp , 5Mp, 3Mp, 1080P</li> <li>· 2 HDMI, VGA Output up to (3840 x 2160)</li> <li>· 2 HDD ( Up to 2 X 10 = 20 TB )</li> <li>· Full Metal Casing</li> </ul>	28,000/=
<b>SL</b>	<b>Model</b>	<b>Product</b>	<b>Product Specification</b>	<b>Unit Price</b>
15	NVR5432-4KS2		<b>32 CH 2U 4K &amp; H.265 Network Video Recorder (NVR)</b> <ul style="list-style-type: none"> <li>· 32 CH IP Camera Inputs</li> <li>· Max 320 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 12MP, 8 Mp , 5Mp, 3Mp, 1080P, 720P</li> <li>· 2 HDMI, VGA Output up to (3840 x 2160)</li> <li>· 04 HDD ( Up to 4 X 10 TB = 40 TB )</li> <li>· Full Metal Casing</li> </ul>	40,000/=
16	NVR5832-4KS2		<b>32 CH 2U 4K &amp; H.265 Network Video Recorder (NVR)</b> <ul style="list-style-type: none"> <li>· 32 CH IP Camera Inputs</li> <li>· Max 320 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 12MP, 8 Mp , 5Mp, 3Mp, 1080P , 720P</li> <li>· 2 HDMI, VGA Output up to (3840 x 2160)</li> <li>· 08 HDD ( Up to 8 X 10 TB = 80 TB )</li> <li>· Full Metal Casing</li> </ul>	53,000/=
17	NVR5864-4KS2		<b>64 CH 2U 4K &amp; H.265 Network Video Recorder (NVR)</b> <ul style="list-style-type: none"> <li>· 64 CH IP Camera Inputs</li> <li>· Max 320 Mbps Bit rate input</li> <li>· H.265 Video Compression</li> <li>· Compatible with 12MP, 8 Mp , 5Mp, 3Mp, 1080P , 720P</li> <li>· 2 HDMI, VGA Output up to (3840 x 2160)</li> <li>· 08 HDD ( Up to 8 X 10 TB = 80 TB )</li> <li>· Full Metal Casing</li> </ul>	65,000/=

Warranty: 12 Month

'We are authorized distributor of Dahua Products For Bangladesh'