








Dahua HDCVI & XVR Price List, May - 2019








Dahua HDCVI Camera








SL	Model	Product	Product Specification	Unit Price
01	HAC-T1A21		DAHUA 02MP HDCVI IR DOME CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 2.8 mm Viewing angle : 103 Degree IR Distance : 20 Meter Casing :Plastic	1,850/=
02	HAC-HDW1200RP		DAHUA 02MP HDCVI IR DOME CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 2.8 mm Viewing angle : 103 Degree IR Distance : 20 Meter Casing :Plastic	1,900/=
03	HAC-HDW1200EMP		DAHUA 02MP HDCVI IR DOME CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle : 89.9 Degree IR Distance : 50 Meter Casing :Metal	2,900/=
04	HAC-HDW1200EMP-A (Build in Audio)		DAHUA 02MP HDCVI IR DOME CAMERA (Audio) Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle : 89.9 Degree IR Distance : 50 Meter Audio with MIC : Yes Casing :Metal Build in Audio	3,200/=
05	HAC-B1A21		DAHUA 02MP HDCVI IR BULLET CAMERA Resolution : 2 MP /1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle :93 Degree IR Distance : 20 Meter Casing :Plastic	1,800/=
06	HAC-HFW1200RP		DAHUA 02MP HDCVI IR BULLET CAMERA Resolution : 2 MP /1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle : 87.5 Degree IR Distance : 20 Meter Casing:Plastic	1,950/=
SL	Model	Product	Product Specification	Unit Price

07	HAC-HFW1200TLP		DAHUA 02 MP HDCVI IR BULLET CAMERA Resolution :02MP , 1920(H)×1080(V) Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens :3.6 mm / 6mm Viewing angle : 89.9 / 59.4 Degree IR Distance :40 Meter , Smart IR Casing: Plastic + Metal	26,00/=
08	HAC-HFW1200TLP-A (Built In Audio)		DAHUA 02 MP HDCVI IR BULLET CAMERA (Audio) Resolution :02MP , 1920(H)×1080(V) Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens :3.6 mm / 6mm Viewing angle : 89.9 / 59.4 Degree IR Distance :80 Meter , Smart IR Casing : Plastic + Metal Built In Audio	2,900/=
09	HAC-HFW1200SP		DAHUA02MP HDCVI IR BULLET CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6mm Viewing angle : 89.9 Degree IR Distance : 30 Meter Casing : Metal	2,900/=
10	HAC-HFW1200TP-A (Built In Audio)		DAHUA02MP HDCVI IR BULLET CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6mm Viewing angle : 87.5 Degree IR Distance : 30 Meter Casing :Metal Built In Audio	2,900/=
11	HAC-HFW1200DP		DAHUA 02 MP HDCVI IR BULLET CAMERA Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens :3.6 mm / 6mm Viewing angle : 89.9 / 59.4 Degree IR Distance : 80 Meter Casing : Metal	3,700/=
12	HAC-HFW1230TP (Starlight)		2MP Starlight HDCVI IR Bullet Camera Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6mm Viewing angle : 86.9 Degree IR Distance : 30 Meter Casing : Metal Starlight	2,900/=
13	HAC-HFW1230TLP (Starlight)		2MP Starlight HDCVI IR Bullet Camera Resolution : 2 MP / 1080 P Key Features : 1 / 2.7" 2 MP CMOS, ICR Lens : 3.6mm Viewing angle : 86.9 Degree IR Distance : 40 Meter Casing : Metal Starlight	3,200/=
SL	Model	Product	Product Specification	Unit Price

14	HAC-HDW1400RP		DAHUA 04MP HDCVI IR DOME CAMERA Resolution : 4 MP /1520 P Key Features : 1 / 3 " 4 MP CMOS, ICR Lens : 3.6mm (2.8mm, 6mm Optional) Viewing angle : H: 84.8° (99.7°/52.5°) IR Distance : 20 Meter Casing : Plastic	3,400/=
15	HAC-HFW1400RP		DAHUA 04MP HDCVI IR BULLET CAMERA Resolution : 4 MP /1520 P Key Features : 1 / 3 " 4 MP CMOS, ICR Lens : 3.6mm (2.8mm, 6mm Optional) Viewing angle : H: 84.8° (99.7°/52.5°) IR Distance : 20 Meter Casing: Plastic	3,400/=
16	HAC-HFW1400DP		DAHUA 04 MP HDCVI IR BULLET CAMERA Resolution : 4.1MP , 2688(H)×1520(V) Key Features : 1 / 3 " 4 MP CMOS, ICR Lens :3.6 mm / 6mm Viewing angle : 89.9 / 59.4 Degree IR Distance : 80 Meter Casing :Metal	4,200/=
17	HAC-HFW1200R-Z-IRE6 (Vari-Focal Bullet Camera)		DAHUA 02 MP HDCVI IR BULLET VARI-FOCAL CAMERA Resolution : 2 MP , 1920(H)×1080(V) Key Features : 1/2.7" 2 MP CMOS, ICR Lens : 2.7mm -12mm Motorized Viewing angle : 33.4 – 105.9 Degree IR Distance : 60 Meter Casing : Metal	5,600/=
18	DH-SD49225I-HC		2MP 25x Starlight IR PTZ HDCVI Camera Resolution : 2 MP , 1920(H)×1080(V) Key Features : 1/2.8" STARVIS™ CMOS Lens :4.8 mm -120 mm (25 X Optical Zoom) Viewing angle : Pan: 0° ~ 360° endless; Tilt: -15° ~ 90° IR Distance : 100 Meter IP Rating : IP66	25,500/=
19	DH-HAC-EB2401P		4MP HDCVI WDR Fisheye Camera Resolution : 4.1 MP , 2688(H)×1520(V) Key Features : 1/3" CMOS Lens : 1.18 mm Viewing angle : 180° Vandal Proof : IK10	8,900/=
SL	Model	Product	Product Specification	Unit Price

20	DH-HAC-ME1200EP (PIR Camera)		2MP HDCVI PIR Dome Camera Resolution : 2 MP , 1920(H)×1080(V) Key Features : 1/2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle : 88 Degree IR Distance : 20 Meter Casing : Metal + Plastic	2,550.00
21	DH-HAC-ME1200BP (PIR Camera)		2MP HDCVI PIR Bullet Camera Resolution : 2 MP , 1920(H)×1080(V) Key Features : 1/2.7" 2 MP CMOS, ICR Lens : 3.6 mm Viewing angle : 88 Degree IR Distance : 20 Meter Casing : Metal + Plastic	2,550.00
22	DH-HAC-T1A51P		5 MP HDCVI IRDome Camera Resolution : 5 MP Key Features : 1/2.7" CMOS Lens : 3.6 mm Viewing angle : 77.5 Degree IR Distance : 20 Meter Casing : Plastic	2,900.00
23	DH-HAC-B1A51P		5 MP HDCVI IRBullet Camera Resolution : 5 MP Key Features : 1/2.7" CMOS Lens : 3.6 mm Viewing angle : 77.5 Degree IR Distance : 20 Meter Casing : Plastic	2,900.00
SL	Model	Product	Product Specification	Unit Price
01	XVR1A04		DAHUA 04 CH PENTA - BRID DVR (1080P) - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 01 HDD (Up to 6 TB) - Full Metal Casing -	4,900/=
02	XVR1A08		DAHUA 08 CH PENTA - BRID DVR (1080N) - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 01 HDD (Up to 6 TB) - Full Metal Casing -	6,800/=
SL	Model	Product	Product Specification	Unit Price
03	XVR1B08		DAHUA 08 CH PENTA - BRID DVR (1080P) - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P	7,500/=

			<ul style="list-style-type: none"> - H.265+ video compression - Support 01 HDD (Up to 6 TB) - Full Metal Casing 	
04	XVR1B16		DAHUA 16 CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - H.265+ video compression - Support 01 HDD (Up to 6 TB) - Full Metal Casing 	10,850/=
05	XVR1B04H (Upto 5 MP Supported)		DAHUA 04 CH PENTA - BRID DVR (4M-N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 4M-N Recording - HDMI & VGA Out Put Up to 5M-N - Support 01 HDD (Up to 6 TB) - H.265+ video compression - UP to 5 MP Supported - Full Metal Casing 	6,500/=
06	XVR1B08H (Upto 5 MP Supported)		DAHUA 08 CH PENTA - BRID DVR (4M-N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 4M-N Recording - HDMI & VGA Out Put Up to 5M-N - Support 01 HDD (Up to 6 TB) - H.265+ video compression - UP to 5 MP Supported - Full Metal Casing 	8,500/=
07	XVR1B16H (Upto 5 MP Supported)		DAHUA 16 CH PENTA - BRID DVR (4M-N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 4M-N Recording - HDMI & VGA Out Put Up to 5M-N - Support 01 HDD (Up to 6 TB) - H.265+ video compression - UP to 5 MP Supported - Full Metal Casing 	12,500/=
08	XVR4104HS-X1		DAHUA 04 CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - H.265+ video compression - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 1 HDD (Up to 06TB) - Full Metal Casing 	5,800/=
09	XVR4108HS-X1		DAHUA 08 CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - H.265 video compression - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - Support 1 HDD (Up to 06 TB) - HDMI & VGA Out Put Up to 1080P 	7,200/=
SL	Model	Product	Product Specification	Unit Price
10	XVR4116HS-X		DAHUA 16 CH PENTA - BRID DVR (1080N) <ul style="list-style-type: none"> - H.265+ video compression - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording 	12,000/=

			<ul style="list-style-type: none"> - HDMI & VGA Out Put Up to 1080P - Support 1 HDD (Up to 10 TB) - Full Metal Casing+ Cooling Fan 	
11	XVR4204AN		DAHUA 04 CH PENTA - BRID DVR (1080N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 2 HDD (Up to 2 X 8 = 16 TB) - Full Metal Casing 	8,200/=
12	XVR4216AN		DAHUA 16 CH PENTA - BRID DVR (1080N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 2 HDD (Up to 2 X 8 = 16 TB) - Full Metal Casing 	15,500/=
13	XVR4232AN-X		DAHUA 132CH PENTA - BRID DVR (1080N) <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265 video compression - All Channel @ 1080N Recording - HDMI & VGA Out Put Up to 1080P - Support 2 HDD (Up to 2 X 10 = 20 TB) - Full Metal Casing + Cooling Fan 	25,000/=
12	XVR5104HS-X (Upto 5 MP Supported)		DAHUA 04 CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - H.265+ video compression - Support up to 5 MP Camera - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 1 HDD (Up to 10 TB) - Full Metal Casing 	8,200/=
13	XVR5108HS-X (Upto 5 MP Supported)		DAHUA 08 CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - H.265+ video compression - Support up to 5 MP Camera - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 1 HDD (Up to 10 TB) - Full Metal Casing 	9,500/=
14	XVR5116HS-X (Upto 5 MP Supported)		DAHUA 16CH PENTA - BRID DVR (1080P) <ul style="list-style-type: none"> - H.265+ video compression - Support up to 5 MP Camera - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 1 HDD (Up to 10 TB) - Full Metal Casing 	15,500/=
SL	Model	Product	Product Specification	Unit Price
15	XVR5116HS-4KL (Up to 4K Supported)		DAHUA 16 Channel Penta-brid 4K Compact 1U Digital Video Recorder <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - All Channel @ 4K Recording 	20,000.00

			<ul style="list-style-type: none"> - HDMI & VGA Out Put Up to 4K - Support 1 HDD (Up to 8 TB) - Full Metal Casing + Cooling Fan 	
16	XVR5216AN-X (Upto 5 MP Supported)		<p>DAHUA 16 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 2 HDD (Up to 20 TB) - Full Metal Casing + Cooling Fan 	17,000/=
17	XVR5416L-X (Upto 5 MP Supported)		<p>DAHUA 16 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 4 HDD (Up to 4 x 10 TB = 40 TB) - Full Metal Casing + Cooling Fan 	32,500/=
18	XVR5816S-X (Upto 5 MP Supported)		<p>DAHUA 16 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 8 HDD (Up to 8 x 10 TB =80 TB) - Full Metal Casing + Cooling Fan 	52,000/=
19	XVR5232AN-X (Upto 5 MP Supported)		<p>DAHUA 32 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 2 HDD (Up to 2 x 10 = 20TB) - Full Metal Casing + Cooling Fan 	29,000/=
20	XVR5432S-X (Upto 5 MP Supported)		<p>DAHUA 32 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 4 HDD (Up to 4 x 10 = 40TB) - Full Metal Casing + Cooling Fan 	55,000/=
21	XVR5832AS-X (Upto 5 MP Supported)		<p>DAHUA 32 CH PENTA - BRID DVR (1080P)</p> <ul style="list-style-type: none"> - Penta – brid : Support HDCVI/ HDTV/ AHD Analog & IP Camera - H.265+ video compression - All Channel @ 1080P Recording - HDMI & VGA Out Put Up to 1080P - Support 8 HDD (Up to 8 x 10 = 80TB) - Full Metal Casing + Cooling Fan 	60,000/=

Warranty: 12 Month

'We are authorized distributor of Dahua Products of Bangladesh'